



DECO LIGHT CREATOR

2022
BULB



SMART LED



5

RN SMART WIFI + BLUETOOTH RGBW

SMART LED



• Information

Below data for bulb without shade

E27, 3.8W, RGB+1800k, 140lm, 220-240V
For G125 and bigger glass

SMART LED

RN SMART WIFI + BLUETOOTH RGB



• Information

Below data for bulb without shade

E27, 3.5W, RGB, 220-240V

7

SMART LED

RN SMART WIFI

+ BLUETOOTH CCT CHANGEABLE



• Information

Below data for bulb without shade

E27, 3.8W, 1800k-6500k, 200lm, 220-240V

SMART LED

GU10 SMART WIFI

+ BLUETOOTH RGBCCT



• Information

5W, 2700k-6500k, 350lm, 220-240V

OPAL SMART RGB WIFI+BLUETOOTH



- DIMMABLE
- RGB
RGB COLOR
- MUSIC CONTROL
- INTELLIGENT SCENE
- WIFI CONTROL
- MOBILE CONTROL
- TIME SWITCH
- ADJUST THE LIGHT
- VOICE CONTROL



• INFORMATION

3.5W, RGB, 220-240V



G125LXRGB

H:180mm
D:125mm



G125WZTRGB

H:175mm
D:125mm



ST60ZTRGB

H:147mm
D:60mm

App control

Work with Alexa and Google assistance

ON/OFF

Brightness changeable

CCT changeable

Timer



GU10 SMART WIFI + BLUETOOTH

Information •

GU10, 4.8W, 1800k-6500k,
400lm, 36°, 220-240V

"Ok google,turn on the light ."

"Alexa,turn on the light ."





FILAMENT SMART WIFI LED

- App control •
- Work with Alexa and Google assistance •
- ON/OFF •
- Brightness changeable •
- CCT tunable(for flexible filament only) •
- Timer •

Information •

- E27, 4W, 2000–5000k, 250lm, 220–240V
(for flexible filament only)
- E27, 4W, 2700k, 450lm, 220–240V
- E27, 6W, 2700k, 700lm, 220–240V
- E27, 7W, 2700k, 950lm, 220–240V

"Ok google,turn on the light ."

"Alexa,turn on the light ."





RN LED LAMP



INTERNATIONAL DESIGN PATENT
INTERNATIONAL PATENT FOR UTILITY MODEL
INTERNATIONAL INVENTION PATENT




Features:

- Superfine filament performance, closest to Edison carbon filament lamp
- High-end glasses adopted for envelope
- DIY structure realizable

Advantages:

- Mature, reliable and multi-functional with the SMD technique
- Soft and eye-friendly illumination
- Customized filaments and glass envelope
- Glass envelope resistant to dust, stain and impact and more glossy with varieties of styles and colors



Ordinary bulb


- Surface is dirty and not possible to clean up

RN LED bulb

- Remain shiny and glossy

After half a year of lighting under same conditions.

DIY series



Filament

- The filament can be customized

Glass envelope

- The glass envelope can be replaced & customized

- Information

E27/E14, 2W, 1800k, 65lm, 220-240V
 E27/E14, 2.3W, 1800k, 65lm, 220-240V

Dimmable

RN Mini



RN I-C35
 H:104mm
 D:35mm



RN I-A60
 H:112mm
 D:60mm



RN I-ST45
 H:90mm
 D:45mm



RN I-G45
 H:84mm
 D:45mm



RN I-T30
 H:185mm
 D:30mm



RN I-TK30192
 H:192mm
 D:30mm

**RN I-ST64**


H:142mm
D:64mm

**RN I-A70T**

H:150mm
D:70mm

**RN I-G95**

H:144mm
D:95mm

**RN I-D125L**

H:142mm
D:126mm

**RN-A049F125163**

H:163mm
D:125mm


**RN I-S130135**

H:135mm
D:130mm

• Information

E27, 2.5W, 1800k, 120lm, 220-240V
 E27, 4W, 1800k, 200lm, 220-240V
 E27, 3.5W, 1800k, 120lm, 220-240V
 E27, 1W/2.2W/4.3W, 1800k, 40lm/100lm/200lm, 220-240V

Dimmable
On/Off



RN Classic

**RN I-G80**

H:120mm
D:80mm

**RN I-C54136**

H:136mm
D:54mm

**RN I-B75**

H:162mm
D:75mm

**RN-A052F96196**

H:196mm
D:96mm

**RN I-T45**

H:112mm
D:45mm

**RN I-T45L**

H:147mm
D:45mm

**RN I-G125**

H:164mm
D:125mm

**RN I-CG125**

H:164mm
D:125mm

**RN I-G130178HT**

H:178mm
D:130 mm

**RN I-AX108158**

H:158mm
D:108 mm

**RN I-G125TW**

H:174mm
D:130mm

**RN I-G125LF**

H:174mm
D:130mm



RN I-BT125188

H:188mm
D:125mm



RN I-D125Z

H:174mm
D:125mm



RN I-S87164

H:164mm
D:87mm



RN I-S65164

H:164mm
D:65mm



RN I-S123163

H:163mm
D:123mm



RN I-P158160

H:160mm
D:158mm



RN I-G125FEC18

H:174mm
D:125mm



RN I-G125FEC1101

H:174mm
D:125mm



RN I-S92173

H:173mm
D:92mm



RN I-S121178

H:178mm
D:121mm




RN I-S135183


H:183mm
D:135mm



RN I-HSG125

H:164mm
D:125mm

**RN I-SO92188**H:188mm
D:92mm**RN I-P100141**H:141mm
D:100mm**RN I-IHS142**H:182mm
D:142mm**RN-A025F112231**H:231mm
D:112mm**RN-A019F110230**H:230mm
D:110mm**RN-A021F111220**H:220mm
D:111mm**RN-A024F150193**H:193mm
D:150mm**RN-A023F142203**H:203mm
D:142mm**RN-A016F150193**H:193mm
D:150mm**RN-A017F155196**H:196mm
D:155mm**RN-A016F150193**H:193mm
D:150mm**RN-A026F90126**H:126mm
D:90mm



RN I-G125FC1978S

H:164mm
D:125mm



RN I-G125FC1979

H:164mm
D:125mm



RN I-G125FC1980

H:164mm
D:125mm



RN I-G125FC1979S

H:164mm
D:125mm



RN I-G125FC1980S

H:164mm
D:125mm

RN Classic

• Information

E27, 2.8W, 1800k, 120lm, 220–240V

E27, 4W, 1800k, 200lm, 220–240V

E27, 3.5W, 1800k, 120lm, 220–240V

E27, 1W/2.2W/4.3W, 1800k, 40lm/100lm/200lm, 220–240V

Dimmable
On/Off



RN I-S116205

H:205mm
D:116mm



RN I-CG200

H:241mm
D:200mm



RN I-S190242

H:242mm
D:190mm



RN I-S173308

H:308mm
D:173mm



RN I-S156252

H:252mm
D:156mm



RN I-G200

H:241mm
D:200mm



RN I-S116235

H:235mm
D:116mm



RN I-S174239

H:239mm
D:174mm



RN I-S114232

H:232mm
D:114mm



RN I-ST94303

H:303mm
D:94mm



RN I-DP82293

H:293mm
D:82mm



RN I-S120259

H:259mm
D:120mm



RN I-T130208

H:208mm
D:130mm



RN I-E115

H:345mm
D:115mm



RN I-A165

H:303mm
D:168mm



RN I-TK50286

H:286mm
D:50mm

**RN I-A165DP**

H:303mm
D:168mm

**RN I-S135225**

H:225mm
D:135mm

**RN I-JP142225**

H:225mm
L:142mm
W:62mm

**RN I-S120295**

H:295mm
D:120mm

**RN I-S165336**

H:336mm
D:165mm

**RN I-S180293**

H:293mm
D:180mm

**RN I-LB160185**

H:185mm
L:160mm
W:77mm

**RN I-T115210T**

H:210mm
D:115mm

**RN I-GHT200**

H:220mm
D:200mm

**RN I-BT160**

H:331mm
D:160mm

**RN I-A100215**

H:215mm
D:100mm

**RN I-AT125246**

H:246mm
D:125mm



RN I-A168 Straight

H:303mm
D:168mm



RN I-B180310

H:310mm
D:180mm



RN I-Horn

H:305mm
D:160mm



RN I-S125305

H:305mm
D:125mm



RN I-SCS125305

H:305mm
D:125mm



RN I-TCS125305

H:305mm
D:125mm



RN I-G198C2

H:210mm
D:198mm



RN I-CG200

H:241mm
D:200mm



RN I-Grape

H:285mm
D:170mm



RN I-P162231

H:231mm
D:162mm



RN I-G250

H:297mm
D:250mm



RN I-SFG125

H:301mm
D:125mm

**RN I-Horn**

H:305mm
D:160mm

**RN-A022F135207**


H:207mm
D:135mm

**RN-A020F135225**

H:225mm
D:135mm

**RN-T60**

H:300mm
D:60mm



RN High power

• Information

E27, 8W, 1800k, 380lm, 220–240V
 E27, 7.5W, 1800k, 360lm, 220–240V
 E27, 1W/3.2W/8W, 1800k, 40lm/160lm/380lm, 220–240V

Dimmable
 On/Off



RN I-T105P

H:332mm
 D:105mm



RN I-T80P

H:325mm
 D:80mm



RN I-T60P

H:325mm
 D:60mm



RN I-G200DP

H:268mm
 D:200mm



RN I-CG200

H:268mm
 D:200mm



• Information

E27, 3.5W, 1800k, 130lm
E27, 3.5W, 1800k, 110lm

Dimmable

RN-DNA

The one and only of gene,born different everlasting source innovation.



RN-DNA G125 Clear

H:164mm
D:125mm



RN-DNA G125 Smoke

H:164mm
D:125mm



RN-DNA G125 Amber

H:164mm
D:125mm

• Information

3.5W, 1800k, 110lm
3.5W, 1800k, 90lm

Dimmable

RN-U

By 186 days we come up with the new serie because of u made us different.



RN-U G95 Clear

H:144mm
D:95mm



RN-U G95 Smoke

H:144mm
D:95mm



RN-U G95 Amber

H:144mm
D:95mm

Chainmail style

• Light warrior

Making combination of perfect light and metal shade
Making luminaire easier



RN-BMC125150

H:150mm
D:125mm

RN-BMC110160

H:160mm
D:110mm

RN-BMC100162

H:162mm
D:100mm

• Information

Below data for bulb without shade

E27, 2.5W, 1800k, 120lm, 220-240V

E27, 4W, 1800k, 200lm, 220-240V

E27, 3.5W, 1800k, 120lm, 220-240V

E27, 1W/2.2W/4.3W, 1800k, 40lm/100lm/200lm, 220-240V

Dimmable
On/Off



RN-GMC125150

H:150mm
D:125mm



RN-BRMC125150

H:150mm
D:125mm



RN-WMC125150

H:150mm
D:125mm



RN-RMC125150

H:150mm
D:125mm



RN-GMC100162

H:162mm
D:100mm



RN-BRMC100162

H:162mm
D:100mm



RN-WMC100162
H:162mm
D:100mm



RN-RMC100162
H:162mm
D:100mm



RN-GMC110160
H:160mm
D:110mm



RN-BRMC110160
H:160mm
D:110mm



RN-WMC110160
H:160mm
D:110mm



RN-RMC110160
H:160mm
D:110mm



RN-BMC95120
H:120mm
D:95mm




RN-BMC200215
H:215mm
D:200mm



RN-BMC200179
H:179mm
D:200mm



RN-WMC200179
H:179mm
D:200mm



RN-RMC200179
H:179mm
D:200mm



RN-BRMC200179
H:179mm
D:200mm



RN-BMC150245
H:245mm
D:150mm



RN-WMC150245
H:245mm
D:150mm



RN-RMC150245
H:245mm
D:150mm



RN-BRMC150245
H:245mm
D:150mm

RN HIGH LUMEN

**MORE BRIGHTNESS
SAME PRICE**



RN High power high lumen

• Information

E27, 5.5W, 3000k, 480lm, 220–240V



RN Classic high lumen

• Information

E27, 4W, 3000k, 320lm, 220–240V
E27, 3.5W, 3000k, 210lm, 220–240V

Dimmable



RN Mountain peak



• Information

Below data for bulb without shade

E27, 2.5W/4W, 1800k, 120lm/200lm, 220-240V

E27, 3.5W, 1800k, 120lm, 220-240V

Dimmable



**RN-S200186A PEAK
Gold**

H:186mm
D:200mm



**RN-S200186A PEAK
Amber**

H:186mm
D:200mm



**RN-S200186A PEAK
Frost**

H:186mm
D:200mm



RN-G200E

H:200mm
D:200mm



RN-G200E FBF

H:200mm
D:200mm



RN-G200E CBF

H:200mm
D:200mm



RN-G200E

H:200mm
D:200mm

RN Modern



• INFORMATION

Below spec for bulb without glass shade

2W, 1800k, 110lm, 220–240V

2W, 3000k, 160lm, 220–240V

For amber
For clear and smoky



RN MOD-T30 Clear

H:185mm
D:30mm



RN MOD-T30 Amber

H:185mm
D:30mm



RN MOD-T30 Smoky

H:185mm
D:30mm



RN MOD-ST60 Clear

H:155mm
D:60mm



RN MOD-ST60 Amber

H:155mm
D:60mm



RN MOD-ST60 Smoky

H:155mm
D:60mm



RN MOD-G80 Clear

H:120mm
D:80mm



RN MOD-G80 Amber

H:120mm
D:80mm



RN MOD-G80 Smoky

H:120mm
D:80mm



RN MOD-G95 Clear

H:140mm
D:95mm



RN MOD-G95 Amber

H:140mm
D:95mm



RN MOD-G95 Smoky

H:140mm
D:95mm



RN MOD-G125 Clear

H:164mm
D:125mm



RN MOD-G125 Amber

H:164mm
D:125mm



RN MOD-G125 Smoky

H:164mm
D:125mm



Project cases

- Assembled as a unit , creat various forms
- Low maintenance cost.

RN led colours



BASG



BAIB



BAIG



GSG



GIB



GIG



GY300



GP300



DECO PRODUCT



Twilight



• INFORMATION

Below spec for bulb without glass shade

3W, 1800k, 10lm, 220-240V

3W, 1800k, 30lm, 220-240V

For black cylinder
For silver & gold cylinder



TWST64S

H:142mm
D:64mm



TWST64G

H:142mm
D:64mm



TWST64B

H:142mm
D:64mm



TWG95S

H:144mm
D:95mm



TWG95G

H:144mm
D:95mm



TWG95B

H:144mm
D:95mm



TWG125S

H:164mm
D:125mm



TWG125G

H:164mm
D:125mm



TWG125B

H:164mm
D:125mm



BULB IN BULB V2

• INFORMATION

Below spec for bulb without glass shade

4W, 2700k, 470lm, 220-240V

4W, 2700k, 400lm, 220-240V

Dimmable



A070G80LFO

H:145mm
D:120mm



A070G80BD

H:145mm
D:120mm



A070G80IO

H:145mm
D:120mm



A070G80LFA

H:145mm
D:120mm

**A055OSIO**

H:152mm
D:149mm

**A055OCIO**

H:152mm
D:149mm

**A058OSIF**

H:204mm
D:116mm

**A058OCIF**

H:204mm
D:116mm

**A058OAIF**

H:204mm
D:116mm



Mosaic led

**GMS023**

H:170mm
D:130mm

- **Information**

Below spec for bulb without glass shade


E14, 4W, 2700k, 400lm, 220-240V

**GMS017**


H:170mm
D:130mm

**GMS018**


H:170mm
D:130mm

**GMS019**

H:170mm
D:130mm

**GMS020**

H:170mm
D:130mm

**GMS021**

H:170mm
D:130mm

**GMS022**

H:170mm
D:130mm

Magician led



• Information

E27, 6W, 1800k, 220-240V



G125B2106

H:170mm
D:125mm



G125B2103

H:170mm
D:125mm



G125B2110

H:170mm
D:125mm



G125BM2010

H:172mm
D:125mm



G125BD

H:172mm
D:125mm



G125BH

H:172mm
D:125mm

**G125 HEXAGON Pink**

H:172mm
D:125mm

**G125 PINE Pink**

H:172mm
D:125mm

**G125BN**

H:172mm
D:125mm

**G125BP**

H:172mm
D:125mm

**G125 HEXAGON Yellow**

H:172mm
D:125mm

**G125 PINE Yellow**

H:172mm
D:125mm

**G125MBW**

H:172mm
D:125mm

**G125MEBS**

H:172mm
D:125mm

**G125MBN**

H:172mm
D:125mm

**G200BD**

H:280mm
D:200mm

**G125BM2006**

H:172mm
D:125mm

**G125BM2007**

H:172mm
D:125mm

• **Information**

Below spec for bulb without shade

E27, 3.5W/2W/0.9W, 3000k, 200lm/100lm/28lm, 220–240V

E27, 3.5W, 3000k, 240lm, 220–240V

E27, 3W, 3000k, 155lm, 220–240V

3–Step–Dimmable

Dimmable



G125B–Star

H:164mm
D:125mm



G125B–Meteor

H:164mm
D:125mm



G125B–Christmas–1

H:164mm
D:125mm



G125B–Christmas–2

H:164mm
D:125mm

Non stem metal mesh

Metal mesh and LED bulb all in one.



• **Information**

Below spec for bulb without metal mesh

E27, 3.5W/2W/0.9W, 3000k, 200lm/100lm/28lm, 220–240V

E27, 3.5W, 3000k, 240lm, 220–240V

E27, 3W, 3000k, 155lm, 220–240V

3–Step–Dimmable

Dimmable

**NS-BRMC110160**H:160mm
D:110mm**NS-GMC110160**H:160mm
D:110mm**NS-RMC110160**H:160mm
D:110mm**NS-BMC110160**H:160mm
D:110mm**NS-BRMC100162**H:162mm
D:100mm**NS-GMC100162**H:162mm
D:100mm**NS-RMC100162**H:162mm
D:100mm**NS-BMC100162**H:162mm
D:100mm**NS-BRMC125150**H:150mm
D:125mm**NS-GMC125150**H:150mm
D:125mm**NS-RMC125150**H:150mm
D:125mm**NS-BMC125150**H:150mm
D:125mm

MELODY



MD-BMC250283 MD-WMC250283 MD-RMC250283 MD-BRMC250283
 H:283mm D:250mm H:283mm D:250mm H:283mm D:250mm H:283mm D:250mm

• INFORMATION

0.5W, 220-240V



MD-BMC250236 MD-WMC250236 MD-RMC250236 MD-BRMC250236
 H:236mm D:250mm H:236mm D:250mm H:236mm D:250mm H:236mm D:250mm



MD-BMC150263 MD-WMC150263 MD-RMC150263 MD-BRMC150263
 H:263mm D:150mm H:263mm D:150mm H:263mm D:150mm H:263mm D:150mm



MD-BMC220313 MD-WMC220313 MD-RMC220313
 H:313mm D:220mm H:313mm D:220mm H:313mm D:220mm



G125-BP80LF

H:164mm
D:125mm



G125-BG80LF

H:164mm
D:125mm



G125-BB80LF

H:164mm
D:125mm



G125-BA80LF

H:164mm
D:125mm



G125-BO80LF

H:164mm
D:125mm



D125

H:164mm
D:125mm



G125-BS80ZT

H:164mm
D:125mm



G125-BP80ZT

H:164mm
D:125mm



G125-BA80ZT

H:164mm
D:125mm

Bulb in bulb

• Information

Below spec for bulb without glass shade

E27, 3.5W/2W/0.9W, 3000k, 200lm/100lm/28lm, 220-240V

E27, 3.5W, 3000k, 240lm, 220-240V

E27, 3W, 3000k, 155lm, 220-240V

3-Step-Dimmable

Dimmable

**D120**

H:197mm
D:120mm

**D150**

H:162mm
D:150mm

**S125211-BO80145**

H:211mm
D:125mm

**S125211-BG80145**

H:211mm
D:125mm

**S125211-BA80145**

H:211mm
D:125mm

• INFORMATION

4W, 2200k, 265lm, 220-240V
4W, 1800k, 220-240V

For amber
For smoky

**T95 BSF**

H:198mm
D:95mm

**G125 BAOF**

H:160mm
D:125mm

**G125 BAVF**

H:160mm
D:125mm

Starry led



G125-MTXY

H:175mm
D:125mm

• Information

E27, 1W, 2700K, 40lm, 220-240V



G95FEC1051-MTXY

H:140mm
D:95mm



G95FEC18-MTXY

H:140mm
D:95mm



G125FEC3-MTXMC

H:165mm
D:125mm



S125FEC01-MTXMC

H:170mm
D:125mm



G125-MTXMC

H:175mm
D:125mm

4 DECO GLASS





S135150FEC01



S125190FEC01



S145163FEC919



G125140FC1-LT



G125140FC01-LT



S130170STFEC02



S125147FC01



S100110FEC919



S125147FC517



G125140FFEC01



G125140FFEC919



S125140FC01-LF



S85190ZDFEC01



S125140FEC1



CM123155FEC1



G125140LFFEC1



G100105FEC01



G100105FC287



G125140LJFEC1



G125140FC01-1



G125140FC01-2



G125140PTFEC1



G125140PTFEC01



G125140PTFEC1



G125140LKFEC01



G125140BZFEC919



G125140LXFEC1



G125140LXFEC919



G8085FC3



G100105FC7



G125140FEC01



G125140FC1871



G125140C517



G125140FEC1001



S100160SDFEC01



S129193JTFEC01



G125140FEC1051



G125140FEC1132



G100105FC1969



G125140FEC1051



G125140FC1977



G125140FC1633



G125140FC1975



G125140FEC18



G125140FC1971



S125110FC02



S125110FC1



S135135FC919



S100110FEC01



S100110FEC1



S100110FEC919



S60125FC919



S60125FC287



G125140FC01-NA



ST64ZTFEC01



ST64XTFEC1



ST64XTFEC01



DP82258FEC01



S130140YXZSFEC02



G125140FEC138-1



G125140FEC138-2



G100105FC1



G125140FEC96



G125140FEC2002



G125140FEC2003

5 FILAMENT LED SERIES



Deco straight led filament



G100145-QXFEC1
H:150mm
D:100mm



G125175-WZTFC1
H:175mm
D:125mm

• Information

- E27, 2W, 2200k, 250lm, 220-240V
- E27, 4W, 2200k, 400lm, 220-240V
- E27, 5.5W, 2700k, 550lm, 220-240V
- E27, 4W, 2200k, 350lm, 220-240V
- E27, 5.5W, 2200k, 500lm, 220-240V

Dimmable
Dimmable



G125175PT2FEC01
H:175mm
D:125mm



G125175LFFEC01
H:175mm
D:125mm



G125175LRFC1
H:175mm
D:125mm



G125135LMFEC01
H:135mm
D:125mm



G125175LXFEC01
H:175mm
D:125mm



S110145FEC01
H:145mm
D:115mm

**D128180-SXFEC1**

H:180mm
D:128mm

**S100170-FEC1**

H:178mm
D:100mm

**ST60160ZTEC01**

H:147mm
D:60mm

**S95160FEC1**

H:160mm
D:95mm

**S105145-FEC1**

H:145mm
D:105mm

**G125175-LJFEC1**

H:175mm
D:125mm

**G125175-LK2FEC1**

H:175mm
D:125mm

**G120180-LK2FEC1**

H:180mm
D:120mm

Porcelain led filament



G95MO
H:140mm
D:95mm

G125MO
H:170mm
D:125mm

G80MO
H:120mm
D:80mm

• Information

E27, 7W, 3000k, 806lm, 220–240V

Dimmable



S160147PL
H:147mm
D:160mm

V132178PL
H:178mm
D:132mm

• Information

E27, 5W, 3000k, 550lm, 220–240V



A60MO
H:106mm
D:60mm

G45MO
H:80mm
D:45mm

• Information

E27, 4W, 3000k,420lm, 220-240V
E27, 7W, 3000k,720lm, 220-240V

Dimmable

G45
A60

• Information

E27, 4W, 3000k, 450lm, 220-240V



G125180PTMO
H:180mm
D:125mm



G125180ASFMO
H:180mm
D:125mm



G12575LKMO
H:175mm
D:125mm



G125175WZTMO
H:175mm
D:125mm



G125175LFMO
H:175mm
D:125mm



G125180LXMO
H:180mm
D:125mm



ST60147ZTMO
H:147mm
D:60mm

Giant flexible led filament



ST94GF

H:303mm
D:94mm



A165GF

H:303mm
D:168mm

• Advantages

Each glass is cleaned and individually packed for protection, to avoid scratches and dirt in transfer process

Glass shape customization at low cost



S190GF

H:242mm
D:190mm




HJ197GF

H:226mm
D:179mm



S180GF

H:293mm
D:180mm



CA165GF

H:303mm
D:168mm



LB160GF

H:185mm
L:160mm
W:77mm

• Information

E27, 4W, 2200k, 265lm, 220–240V

E27, 4W, 1800k, 50lm, 220–240V

for clear and amber color
for smoky color



DPA165GF
H:303mm
D:168mm



E115GF
H:345mm
D:115mm



BT160GF
H:331mm
D:160mm



T60GF
H:300mm
D:60mm



CG200GF
H:241mm
D:200mm



LFG200GF
H:241mm
D:200mm



G200GF
H:241mm
D:200mm



S156GF
H:252mm
D:156mm



DP82293GF
H:293mm
D:82mm



JP142GF
L:42mm
W: 62mm
H:225mm



S116GF
H:205mm
D:116mm



S174239GF
H:239mm
D:174mm

**STA168GF**

H:303mm
D:168mm

**B180310GF**

H:310mm
D:180mm

**HO160305GF**

H:305mm
D:160mm

**GR170285GF**

H:285mm
D:170mm

**SFG125GF**

H:301mm
D:125mm

**SP186195GF**

H:195mm
D:186mm

**S129226SF**

H:171mm
D:129mm

**S185210GF**

H:210mm
D:185mm

**TB120380GF**

H:380mm
D:120mm

Deco soft filament

AX108158SF

H:158mm
D:108mm



UFO125180SF

H:180mm
D:125mm



S123163SF

H:163mm
D:123mm



IHS142SF

H:182mm
D:142mm



PK170153SF

H:153mm
D:170mm



G125SSF

H:171mm
D:125mm



ST58SSF

H:155mm
D:58mm



S129226SF

H:226mm
D:129mm



SF100SF

H:211mm
D:100mm

• Information

E27, 4W, 2200k, 265lm, 220–240V

Classic flexible led filament

- Amber & smoke color at 4W



ST64
H:142mm
D:64mm



G95
H:144mm
D:95mm



A60
H:112mm
D:60mm



G125
H:172mm
D:125mm



G45
H:78mm
D:45mm



C35
H:104mm
D:35mm



G45
H:80mm
D:45mm

Filament led colours



○ Gradient #3



○ Blue #1



○ Gradient #1



○ Pink #1



○ Gradient #2



• Information

E27, 2W, 2000k, 100lm, 220–240V



G125 SNOWFLAKE

H:172mm
D:125mm



G125 SUN

H:172mm
D:125mm



G125 PIGEON

H:172mm
D:125mm



G125 DOG

H:172mm
D:125mm



G125 GIFT BOX

H:172mm
D:125mm



G125 CAT

H:172mm
D:125mm

**G125 LIGHTNING**

H:172mm
D:125mm

**G125 MOON**

H:172mm
D:125mm

**G125 SNOWMAN**

H:172mm
D:125mm

**G125 VICTORY**

H:172mm
D:125mm

**G125 HEART**

H:172mm
D:125mm

**G95 DEER**

H:144mm
D:95mm

**G125 BELL**

H:172mm
D:125mm

**G125 LOVE**

H:172mm
D:125mm

**G125 STAR 2**

H:172mm
D:125mm

**G125 UNICORN**

H:172mm
D:125mm

**G95 HOME**

H:144mm
D:95mm

**G125 HAPPY**

H:172mm
D:125mm

Twelve constellations Led filament





G125 ARIES
H:170mm
D:125mm



G125 Taurus
H:170mm
D:125mm



G125 Libra
H:170mm
D:125mm



G125 Scorpio
H:170mm
D:125mm



G125 Pisces
H:170mm
D:125mm



G125 Cancer
H:170mm
D:125mm



G125 Sagittarius
H:170mm
D:125mm



G125 Capricorn
H:170mm
D:125mm



G125 Leo
H:170mm
D:125mm



G125 Virgo
H:170mm
D:125mm



G125 Aquarius
H:170mm
D:125mm



G125 Gemin
H:170mm
D:125mm

• Information

- E14, 2W, 2700k, 250lm, 220-240V
- E14/E27, 4W, 2700k, 470lm, 220-240V
- E27, 6W, 2700k, 806lm, 220-240V
- E27, 7W, 2700k, 1055lm, 220-240V
- E14, 2.5W, 2700k, 250lm, 220-240V
- E14/E27, 4.5W, 2700k, 470lm, 220-240V
- E27, 7W, 2700k, 806lm, 220-240V
- E27, 8W, 2700k, 1055lm, 220-240V
- E27, 12W, 2700k, 1300lm, 220-240V

Dimmable
Dimmable
Dimmable
Dimmable
Dimmable



C35
H:98mm
D:35mm



F35
H:118mm
D:35mm



G125
H:172mm
D:125mm



G95
H:140mm
D:95mm



G45
H:80mm
D:45mm



A60
H:106mm
D:60mm

• Information

- E27, 2W, 2000k, 250lm, 220-240V
- E27, 4W, 2000k, 380lm, 220-240V
- E27, 6W, 2000k, 550lm, 220-240V
- E27, 4W, 2000k, 380lm, 220-240V
- E27, 6W, 2000k, 550lm, 220-240V

Dimmable
Dimmable



G95
H:140mm
D:95mm



G125
H:172mm
D:125mm



ST64
H:140mm
D:64mm



T20-2-L
H:120mm
D:20mm



T20-2-S
H:165mm
D:25mm



T25
H:95mm
D:25mm

• Information

E14, 2W, 2700k, 160lm, 220-240V
E14, 4W, 2700k, 400lm, 220-240V
E14, 3W, 2700k, 350lm, 220-240V

Dimmable

T25
T20-2-L
T20-3-S



T30-12-S
H:300mm
D:30mm



T30-2-S
H:130mm
D:30mm



T30-8-S
H:225mm
D:30mm



T30-4-S
H:185mm
D:30mm

• Information

E27, 2W, 2700k, 250lm, 220-240V
E27, 4W, 2700k, 450lm, 220-240V
E27, 6W, 2700k, 750lm, 220-240V
E27, 7W, 2700k, 800lm, 220-240V

T30-2-S
T30-4-S
T30-8-S
T30-12-S

• Information

E27/B22, 6W, 2700k, 550lm, 220-240V
 E27/B22, 6W, 2700k, 500lm, 220-240V

Dimmable



**G125 TOP MIRROR
 COPPER**
 H:172mm
 D:125mm



**G95 TOP MIRROR
 BRASS**
 H:140mm
 D:95mm



**A60 TOP MIRROR
 BRASS**
 H:112mm
 D:60mm



**E27 G45 TOP
 MIRROR BRASS**
 H:78mm
 D:45mm



**E14 G45 TOP
 MIRROR BRASS**
 H:80mm
 D:45mm



**G125 UPPER MIRROR
 SILVER**
 H:172mm
 D:125mm



**G95 UPPER MIRROR
 SILVER**
 H:140mm
 D:95mm



**G95 HALF MIRROR
 SILVER**
 H:140mm
 D:95mm



**G95 BOTTOM
 MIRROR SILVER**
 H:140mm
 D:95mm

GU10 LED SERIES



**GLASS GU10**

H:52mm
D:50mm

• Information

GU10-BL-33, 3W, 3000k, 230lm, 220-240V, 38°
 GU10-BL-34, 4.9W, 3000k, 345lm, 220-240V, 38°
 GU10-BLD-11, 3.5W, 3000k, 230lm, 220-240V, 36°
 GU10-BLD-12, 4.7W, 3000k, 345lm, 220-240V, 36°
 GU10-BLD-13, 5.3W, 3000k, 400lm, 220-240V, 36°
 GU10-BLD-14, 6W, 3000k, 450lm, 220-240V, 36°

Dimmable
 Dimmable
 Dimmable
 Dimmable

**GLASS GU10**

H:55mm
D:50mm



• Information

GU10-BL-30G, 3W, 3000k, 300lm, 220-240V, 110°
 GU10-BL-31, 3.6W, 3000k, 345lm, 220-240V, 110°
 GU10-BL-32, 4.6W, 3000k, 400lm, 220-240V, 110°



PLASTIC GU10

H:52mm
D:50mm



• **Information**

GU10-SBL-18, 4W, 3000k, 250lm, 220-240V, 38°
GU10-SBL-19, 4.9W, 3000k, 345lm, 220-240V, 38°



MR16

H:45mm
D:50mm

• **Information**

MR16, 3W, 3000k, 230lm, AC/DC12V, 30°
MR16, 5W, 3000k, 350lm, AC/DC12V, 30°



DECO GU10

H:52mm
D:50mm



• **Information**

GU10, 4.9W, 3000k, 345lm, 220-240V, 38° A circle of light on the top to prevent from direct light

• **Features**



MR11

H:36mm
D:35mm



MR11-GU10

H:48mm
D:35mm

• **Information**

MR11, 4W, 3000k, 200lm, AC/DC 12V, 38°
MR11-GU10, 3.8W, 3000k, 200lm, 220V-240V, 38°

LED SERIES



• Information

2W, 3000k, 190lm, 220-240V
 2W, 3000k, 200lm, 220-240V
 3W, 3000k, 350lm, 220-240V
 3.5W, 3000k, 400lm, 220-240V
 4W, 3000k, 470lm, 220-240V
 4.5W, 3000k, 600lm, 220-240V
 4/2/1W, 3000k, 450/250/120lm, 220-240V
 4W, 3000k, 400lm, 220-240V
 4.8W, 3000k, 470lm, 220-240V
 2W, 3000k, 200lm, 12V

3-Step-Dimmable
 Dimmable
 Dimmable

G9N-2
 G9PC
 G9N-3
 G9N-3.5
 G9N-4
 G9N-4.5
 G9NSD-4
 G9ND-4
 G9ND-4.8
 G4S-2



G9ND-4.8
 H:55mm
 D:19mm



G4S-2
 H:37mm
 D:10mm



G9N-2
 H:45mm
 D:16mm



G9PC
 H:48mm
 D:16mm



G9N-3
 H:50mm
 D:16mm



G9N-3.5
 H:50mm
 D:16mm



G9N-4
 H:55mm
 D:19mm



G9N-4.5
 H:56mm
 D:19mm



G9NSD-4
 H:56mm
 D:19mm



G9ND-4
 H:55mm
 D:19mm

R7s led series



• Information

4.5W, 3000K, 500lm, 220-240V
 8.5W, 3000K, 1100lm, 220-240V
 4W, 3000K, 500lm, 220-240V
 7W, 3000K, 800lm, 220-240V
 8W, 3000K, 1000lm, 220-240V
 15W, 3000K, 2000lm, 220-240V
 15W, 3000K, 2300lm, 220-240V

R78G
 R118G
 R78GC
 R118GC
 R78P
 R118P
 R118B



R78G (Glass)
 Size: Ø2cm
 H7.8cm



R118G (Glass)
 Size: Ø2cm
 H11.8cm



R118B (Glass)
 Size: Ø3.7cm
 H11.8cm



R78GC (Glass)
 Size: Ø1.7cm, H7.8cm



R118GC (Glass)
 Size: Ø1.7cm, H11.8cm



R78P (PC)
 Size: Ø2.8cm, H7.8cm



R118P (PC)
 Size: Ø2.8cm, H11.8cm

Information

E14/E27, 5W, 3000k, 470lm, 220-240V
 E14/E27, 8W, 3000k, 806lm, 220-240V
 E14/E27, 5.8W, 3000k, 470lm, 220-240V
 E27, 9W, 3000k, 820lm, 220-240V
 E27, 11W, 3000k, 1055lm, 220-240V
 E27, 15W, 3000k, 1500lm, 220-240V
 E27, 8.8W, 3000k, 806lm, 220-240V

Dimmable

Dimmable

C38/G45
 C38/G45
 C38/G45
 A60
 A60
 A60
 A60



A60
 H:108mm
 D:60mm



G45
 H:80mm
 D:45mm



C38
 H:103mm
 D:38mm

• Information

E14, 1.5W, 2700k, 150lm, 220-240V
 E14, 2.5W, 2700k, 250lm, 220-240V
 E14, 4.3W, 2700k, 350lm, 220-240V
 E27, 7W, 2700k, 680lm, 220-240V
 E27, 7W, 2700k, 680lm, 220-240V

Dimmable

C35/F35/G45
 C35/F35/G45
 C35/F35/G45
 A60/G95/G125
 A60/G95/G125



G45-OPAL
 H:79mm
 D:45mm



C35-OPAL
 H:98mm
 D:35mm



F35-OPAL
 H:123mm
 D:35mm



A60-OPAL
 H:110mm
 D:60mm



G95-OPAL
 H:136mm
 D:95mm



G125-OPAL
 H:172mm
 D:125mm

8 HALOGEN SERIES





DESCRIPTION	MODEL	SOCKET	VOLTAGE	POWER	CCT	LUMEN	CRI	BEAM	ENERGY CLASS	LIFE	LIGHT INTENSITY	DIMENSION	MATERIAL	CE (Y/N)
HALOGEN	G4	G4	12V	5W	2700K	52	99	/	B	2000H	/	8*31MM	QUARTZ	Y
HALOGEN	G4	G4	12V	7W	2700K	86	99	/	B	2000H	/	8*31MM	QUARTZ	Y
HALOGEN	G4	G4	12V	10W	2700K	145	99	/	B	2000H	/	8*31MM	QUARTZ	Y
HALOGEN	G4	G4	12V	14W	2700K	232	99	/	B	2000H	/	8*31MM	QUARTZ	Y
HALOGEN	G4	G4	12V	20W	2700K	374	99	/	B	2000H	/	8*31MM	QUARTZ	Y
HALOGEN	G4	G4	12V	35W	2700K	766	99	/	B	2000H	/	8*31MM	QUARTZ	Y
HALOGEN	G4	G4	12V	8W	2700K	106	99	/	B	2000H	/	8*31MM	QUARTZ	Y
HALOGEN	G4	G4	12V	18W	2700K	326	99	/	B	2000H	/	8*31MM	QUARTZ	Y
HALOGEN	G4	G4	12V	28W	2700K	579	99	/	B	2000H	/	8*31MM	QUARTZ	Y

DESCRIPTION	MODEL	SOCKET	VOLTAGE	POWER	CCT	LUMEN	CRI	BEAM	ENERGY CLASS	LIFE	LIGHT INTENSITY	DIMENSION	MATERIAL	CE (Y/N)
HALOGEN	G9	G9	220-240V	18W	2700K	204	99	/	C	2000H	/	13*42MM	QUARTZ	Y
HALOGEN	G9	G9	220-240V	20W	2700K	235	99	/	C	2000H	/	13*42MM	QUARTZ	Y
HALOGEN	G9	G9	220-240V	25W	2700K	318	99	/	C	2000H	/	13*42MM	QUARTZ	Y
HALOGEN	G9	G9	220-240V	28W	2800K	370	99	/	C	2000H	/	13*42MM	QUARTZ	Y
HALOGEN	G9	G9	220-240V	33W	2800K	458	99	/	C	2000H	/	13*42MM	QUARTZ	Y
HALOGEN	G9	G9	220-240V	40W	2800K	586	99	/	C	2000H	/	13*42MM	QUARTZ	Y
HALOGEN	G9	G9	220-240V	42W	2800K	624	99	/	C	2000H	/	13*42MM	QUARTZ	Y
HALOGEN	G9	G9	220-240V	48W	2800K	737	99	/	C	2000H	/	13*42MM	QUARTZ	Y
HALOGEN	G9	G9	220-240V	53W	2800K	834	99	/	C	2000H	/	13*42MM	QUARTZ	Y
HALOGEN	G9	G9	220-240V	60W	2900K	971	99	/	C	2000H	/	13*42MM	QUARTZ	Y
HALOGEN	G9	G9	220-240V	70W	2900K	1172	99	/	C	2000H	/	13*42MM	QUARTZ	Y

DESCRIPTION	MODEL	SOCKET	VOLTAGE	POWER	CCT	LUMEN	CRI	BEAM	ENERGY CLASS	LIFE	LIGHT INTENSITY	DIMENSION	CE (Y/N)
HALOGEN	GY6.35	GY6.35	12V	20W	2800K	374	99	/	B	2000H	/	10*38MM	Y
HALOGEN	GY6.35	GY6.35	12V	35W	2800K	766	99	/	B	2000H	/	10*38MM	Y
HALOGEN	GY6.35	GY6.35	12V	50W	2900K	1185	99	/	B	2000H	/	10*38MM	Y
HALOGEN	GY6.35	GY6.35	12V	16W	2800K	279	99	/	B	2000H	/	10*38MM	Y
HALOGEN	GY6.35	GY6.35	12V	28W	2900K	579	99	/	B	2000H	/	10*38MM	Y
HALOGEN	GY6.35	GY6.35	12V	40W	2900K	903	99	/	B	2000H	/	10*38MM	Y



DESCRIPTION	MODEL	SOCKET	VOLTAGE	POWER	CCT	LUMEN	CRI	BEAM	ENERGY CLASS	LIFE	LIGHT INTENSITY	DIMENSION	MATERIAL	CE (Y/N)
HALOGEN	J78	R7S	220-240V	80W	2900K	1375	99	/	C	2000H	/	8*78MM	QUARTZ	Y
HALOGEN	J78	R7S	220-240V	120W	2900K	2216	99	/	C	2000H	/	8*78MM	QUARTZ	Y

DESCRIPTION	MODEL	SOCKET	VOLTAGE	POWER	CCT	LUMEN	CRI	BEAM	ENERGY CLASS	LIFE	LIGHT INTENSITY	DIMENSION	MATERIAL	CE (Y/N)
HALOGEN	J118	R7S	220-240V	120W	2900K	2216	99	/	C	2000H	/	10*118MM	QUARTZ	Y